

Product Data Sheet

# Duo Cornice

Gyprock Duo features a strong, two-step design with modern lines for a short, sharp statement to deliver a simple, yet striking presence for modern homes.


## Product Overview

While cornice effectively bridges the junctions between walls and ceilings, its purpose extends beyond function, providing the perfect finishing touch to the aesthetic harmony of a home.

The strong, streamlined 50mm profile of Duo echoes an Art Deco aesthetic and is also perfect for spaces that define modern elegance. Balanced with other interior design features such as architraves, skirting and even door hardware, Duo cornice can help make a clear style statement in a home. For a more dramatic impact in hallways, living and entertainment rooms, Gyprock Trio is the ideal complementary cornice choice.

## Typical Applications

Duo's strong geometry make it the perfect choice for modern living spaces or to help create an Art Deco feel.



### 50mm Profile

Slim and strong



### Pairing

Combine with a feature profile for added interest



### 25 Year Warranty

Specify and install with confidence

## Technical Specifications

### Product Options

Duo Cornice is available in the following size

|        |        |
|--------|--------|
| Width  | 50mm   |
| Length | 4800mm |

Stockholdings may vary. For product availability and to place an order, contact your nearest supplier.

### Product Manufacture

Duo Cornice is manufactured by CSR Gyprock in Australia to stringent product specifications.

### Product Handling

**Transportation and manual handling:** Refer to the Gypsum Board Manufacturers of Australia (GBMA) website for recommended OH&S practices.

**Storage:** Protect plasterboard and cornice from weather and moisture. Avoid products sagging by storing horizontally, supported on a level platform or full-width support members spaced at max. 600mm centres.

### Health and Safety

**Safety Data Sheets** are important documents in the construction industry and assist in the continuing focus on occupational health and safety on and off sites.

## Installation Instructions

### Installing to Standards

AS/NZS2589: Gypsum linings – Application and Finishing outlines the procedures for the installation and finishing of Gyprock cornice in conjunction with additional details contained in Gyprock Technical Literature.

### Resources

Gyprock makes available [resources](#) that provide comprehensive selection, design, installation and maintenance guidance.



### Manufactured for Life

Gyprock products are manufactured for life with all CSR products designed to achieve optimal performance when part of a CSR integrated system.